



[gitecheducation.webtech365.in](http://gitecheducation.webtech365.in)

Name : \_\_\_\_\_

Phone/ Mobile No. \_\_\_\_\_

Course : PHP (CCSHNM)

Reg. No. : \_\_\_\_\_

Center : \_\_\_\_\_

[www.webtech365.in](http://www.webtech365.in)

 **Gayatri Computer Classes**

2<sup>nd</sup> Floor, Shree Ram Complex, Near Anand Medical Store, Above Jaydeep Studio,  
Devibhuvan Road, Dwarka - 361335 M. 9898832395, 9408965707 Page : 0

## PHP Program for Web designing

<p><b>Program : 1</b></p> <pre>&lt;html&gt; &lt;head&gt; &lt;title&gt; First PHP Program &lt;/title&gt; &lt;/head&gt; &lt;body&gt; &lt;?php echo ("Wel Come to PHP"); echo("&lt;br&gt;"); print("PHP is Powerful Language"); ?&gt; &lt;/body&gt; &lt;/html&gt;</pre>	<p><b>Program : 2</b></p> <pre>&lt;html&gt; &lt;head&gt; &lt;title&gt; Variable Declaration &lt;/title&gt; &lt;/head&gt; &lt;body&gt; &lt;?php \$myName="Unkown"; \$age=25; \$mySalary=1234.50; echo "My Name is :\$myName"; echo "&lt;br&gt;"; echo "My Age is :\$age"; echo "&lt;br&gt;"; echo "My Salary is : 4mySalary"; echo "&lt;br&gt; &lt;br&gt;"; echo "Hello, My Name is &lt;b&gt; \$myName&lt;/b&gt; " . " And My Age is &lt;i&gt; \$age &lt;/i&gt; " . " And My Salary is &lt;tt&gt; \$mySalary &lt;/tt&gt;"; echo "&lt;br&gt; &lt;br&gt;"; \$sum=5+5; echo "Sum of 5+5 is : \$sum"; \$sum=\$sum+1; echo "&lt;br&gt;&lt;br&gt;"; echo "Now value of Sum is : \$sum"; ?&gt; &lt;/body&gt;&lt;/html&gt;</pre>
<p><b>Program : 3</b></p> <pre>&lt;html&gt; &lt;head&gt; &lt;title&gt; How to Use If-Else &lt;/title&gt; &lt;/head&gt; &lt;body&gt; &lt;h4 align="center"&gt; Example of If-Else&lt;/h4&gt; &lt;hr/&gt; &lt;?php \$myValue=TRUE; if(\$myValue==TRUE) { echo("TRUE value is Found"); } else</pre>	<pre>{ echo("TRUE value is &lt;b&gt; NOT &lt;/b&gt; Found"); } echo "&lt;br&gt;"; echo "&lt;br&gt;"; \$myValue=FALSE; if(\$myValue!=TRUE) { echo("TRUE value is &lt;b&gt; NOT &lt;/b&gt; Found"); } else { echo("TRUE value Found"); } ?&gt; &lt;/body&gt;&lt;/html&gt;</pre>

**Program : 4**

```
<html>
<head>
<title> If-Else Leader </title>
</head>
<body>
<h4 align="center"> Example of If-Else Leader
</h4>
<hr/>
<?php
$age=21;
if ($age<=10)
{
echo("My age is <tt> <strong> $age </strong>
</tt> and I am <b> Child </b>");
}
elseif ($age>=11 AND $age<=20)
{
echo("My age is <tt> <strong> $age </strong> </tt>
and I am <b> Young </b>");
}
else
{
echo("My age is <tt> <strong> $age </strong>
</tt> and Now I am <b> Adult </b>");
}
?>
</body>
</html>
```

**Program : 5**

```
<html>
<head>
<title> Use of Switch Statement </title>
</head>
<body>
<h4 align="center"> Exmple of Switch </h4>
<hr/>
<?php
$value=1;
switch($value)
{
case 1:
echo "Good";
break;
case 2:
echo "Better";
break;
case 3:
echo "Best";
break;
default:
echo "OK";
}
?>
</body>
</html>
```

गायत्री कोम्प्युटर क्लासीस, बीजा माणे, श्री राम कोम्प्लेक्ष, देवीभुवन रोड, द्वारका मो. ८८८८३२३८५

**Program : 6**

```
<html>
<head>
<title> Use of While Loop</title></head>
<body>
<h4 align="center"> Exmple of While Loop </h4>
<hr/>
<?php
$myNumber=1;
while($myNumber <=5)
{
echo("My Number is : $myNumber <br>");
$myNumber = $myNumber + 1;
}
?>
</body></html>
```

**Program : 7**

```
<html>
<head><title> Use of Do-While Loop</title>
</head>
<body>
<h4 align="center"> Exmple of Do-While Loop </h4>
<hr/>
<?php
$myNumber=5;
do
{
echo("My Number is : $myNumber <br>");
$myNumber = $myNumber + 1;
}
while($myNumber<=3)
?></body></html>
```

**Program : 8**

```
<html>
<head>
<title> Use of For Loop</title>
</head>
<body>
<h4 align="center"> Exmple of For Loop </h4>
<hr/>
<?php
$counter=5;
for($i=1;$i<=$counter;$i++)
{
echo("Value of &nbsp;&nbsp;&nbsp;<b>
\\$i</b>&nbsp;&nbsp;&nbsp;is $i and value of
&nbsp;&nbsp;&nbsp;<b>\\$counter</b>&nbsp;&nbsp;&nbsp; is
$counter <br>");
}
?>
</body>
</html>
```

**Program : 9**

```
<html>
<head>
<title> Use of Break Statement </title>
</head>
<body>
<h4 align="center"> Example of Break Statement
</h4>
<hr/>
<?php
$counter=10;
for($i=1;$i<=$counter;$i++)
{
if($i==5)
{
break;
}
else
{
echo("<br>$i");
}
}
?>
</body>
</html>
```

गायत्री कोम्प्युटर क्लासीस, बीजा माणे, श्री राम कोम्प्लेक्स, देवीभुवन रोड, द्वारका मो. ८८८८८३२३८५

**Program : 10**

```
<html>
<head>
<title> Use of Continue Statement </title>
</head>
<body>
<h4 align="center"> Example of Continue
Statement </h4>
<hr/>
<?php
$counter=10;
for($i=1;$i<=$counter;$i++)
{
if($i %2 !=0)
continue;
echo("$i<br>");
}
?>
</body>
</html>
```

**Program : 11**

```
<html>
<head>
<title> Use of Function </title>
</head>
<body>
<h4 align="center"> Example of Function </h4>
<hr/>
<?php
myName("xyz");
function myName($name)
{
echo("<br> My Name is $name");
}
?>
</body>
</html>
```

**Program : 12**

```

<html>
<head>
<title> Use of Fuction Statement </title>
</head>
<body>
<h4 align="center"> Example of Function </h4>
<hr/>
<?php
$counter=10;
$name="Unknown";
for($i=0;$i<=$counter;$i++)
{
if($i==1)
{
myValue($i);
myName_myAge($i,$name);
}
if($i==5)
{
myValue($i);
}
if($i==10)
{
myName_myAge($i,"Janak");
}
}
function myValue($i)
{
echo("<br> I get the Value:<strong>$i</strong>
Year ");
}
function myName_myAge($i,$name)
{
echo("<br>My Name is $name and My Age is
<strong> $i </strong> Year");
}
?>
</body>
</html>

```

**Program : 13**

```

<html>
<head>
<title> Global V/S Local Variable </title>
</head>
<body>
<h4 align="center">Global V/S Local Variable </h4>
<hr/>
<?php
global $myName;
myAge();
mySalary();
function myAge()
{
$age=10;
$myName="XYZ";
echo "My Name is $myName and My Age is $age";
}
function mySalary()
{
$salary=1000;
$myName="ABC";
echo "<br> My Name is $myName and My Salary is
$salary";
}
?>
</body>
</html>

```

**Program : 14**

```

<html>
<head>
<title> Use of Static Keyword </title>
</head>
<body>
<h4 align="center"> Example of Static Keyword
</h4>
<hr/>
<?php
static $myName="ankit";
$myName="Nothing";
myAge();
mySalary();
function myAge()
{
$age=10;
$myName="ABC";
echo "My Name is $myName and My Age is
$age";
}
function mySalary()
{
$salary=1000;
$myName="DEF";
echo "<br> My Name is $myName and My Salary
is $salary";
}
?>
</body>
</html>

```

**Program : 15**

```

<html>
<head>
<title> Use of include and require Keyword </title>
</head>
<body>
<h4 align="center"> Example of include and required
Keywords </h4>
<hr/>
<?php
// Including Files Using include
include 'c10.php';
include 'c11.html';
//Including Files Using require
require 'c12.php';
?>
</body>
</html>

```

ગાયત્રી કોમ્પ્યુટર ક્લાસીસ, બીજા માળે, શ્રી રામ કોમ્પ્લેક્ષ, દેવીભુવન રોડ, દ્વારકા મો. ૯૮૯૮૮૩૨૩૯૫

**Program : 16**

```

<html>
<head>
<title> PHP File </title>
</head>
<body>
<?php
echo "<br> This is PHP File";
?>
</body>
</html>

```

**Program : 17**

```

<html>
<head>
<title> PHP File </title>
</head>
<body>
<?php
echo "<br> This is HTML File";
?>
</body>
</html>

```





**Program : 25**

```

<html>
<head><title> Salary Calculation Sheet of </title>
<?php Echo $_POST['name']; ?>
</head>
<body>
<?php
$name=$_POST["name"];
$designation=$_POST["designation"];
$otHours=$_POST["ot_hours"];
$leaveTaken=$_POST["it_month"];
$basicSalary=$_POST["basic_salasry"];
$otMoney="$otHours*100;
$itMoney=$leaveTaken*50;
$grossSalary=$basicSalary + $otMoney -
$itMoney;
if($grossSalary==0)
{
echo "Please Concentrate on your work, This
Month your Earn<b><font color='Red'> NOTHING
</font></b>";
}
if($grossSalary<0 )
{
echo "OH GOD ! You have a burdan of <b> <font
color='Red'> $grossSalary </font> </b> Pay
Attention on your work";
}
?>
<table align="center">
<tr>
<td>
<fieldset style="width:700px;">
<legend align="center" style="background-
color:#66CCFF; border-width:medium;"> <b>
<tt></b></legend>
<table align="center">
<tr>
<td>
Welcome, <b> <i> <?php echo$_POST ['name'];
?> </i> </b>
</td></tr>
<tr><td>
Your Designation is <b> <i> <?php echo
$_POST['designation'] ?> </i> </b>
</td></tr>

```

```

<tr>
<td>
Your Basic Salary is <strong <?php echo
"$basicSalary"; ?> </strong>
</td>
</tr>
<tr>
<td>
Your over Time Hours is <b> <?php echo "$otHours"
?> so your Over Time Earn is: <?php echo "$otHours";
?>
[<tt> <?php echo "$otHours"; ?> X100 </tt>]
</td>
</tr>
<tr>
<td>
You taken <b> <?php echo "$leaveTaken" ?> </b>
Leave in the Month so Deduction is : <?php echo
"$itMoney"; ?>
[<tt> </php echo "$leaveTaken"; ?> X 50 </tt>]
</td>
</tr>
<tr>
<td>
So Your Gross Salary = <b> <?php echo
"$grossSalary"; ?> </b>
[<tt><strong> Basic Salary + Over Time Money - Leave
Taken Money </strong> </tt>]
</td>
</tr>
<tr>
<td align="center">
<b>
<a href="c23.php"> Back To Home Page </a> </b>
</td>
</tr>
</table>
</fieldset>
</td>
</tr>
</table>
</body>
</html>

```

**Program : 26**

```
<html>
<head>
<title> Example of Single and Double Quotes in
String </title>
</head>
<body>
<h4 align="center"> Diffrence between Single
quotes and Double quote in String
</h4>
<?php
$string1="This is String1 \n<br>";
$string2='This is String2 \n<br>';
echo $string1;
echo $string2;
?>
</body>
</html>
```

**Program : 27**

```
<html>
<head>
<title> Use of Curly Braces </title>
</head>
<body>
<h4 align="center"> Example of How to use curly
braces within the string </h4>
<hr>
<?php
$gameName1='Cricket';
$gameName2='Football';
echo "I like {$gameName1} -Match. \n<br>";
echo "I like {$gameName2}-Match. \n<br>";
?>
</body>
</html>
```

**Program : 28**

```
<html>
<head>
<title> String Concatenation </title>
</head>
<body>
<h4 align="center"> Example of String
Concatenation </h4>
<hr>
<?php
$myName='Janak';
$myNameSuffix='kumar';
$mySurname='Mehta';
$fullName=$myName.$myNameSuffix."
".$mySurname; //.
echo $fullName;
echo "<br>";
echo "<br><strong> Secound Way</strong>";
$myName.= $myNameSuffix." ".$mySurname;
echo "<br> <br> $myName";
?>
</body>
</html>
```

**Program : 29**

```
<html>
<head>
<title> Concatination and Assignment </title>
</head>
<body>
<h4 align="center"> Example of concatination and
Assignment for String </h4>
<hr>
<?php
$string1="I Like PHP";
$string2=$string1;
echo $string2;
?>
</body>
</html>
```

**Program : 30**

```
<html>
<head>
<title> How to Find String Length </title>
</head>
<body>
<h4 align="center"> Example of Finding String
Length </h4>
<hr>
<?php
$myString="I Like PHP very much";
echo "Lenngh of String is:" .strlen($myString)
?>
</body>
</html>
```

**Program : 31**

```
<html>
<head>
<title> How to Find Cherectors</title>
</head>
<body>
<h4 align="center"> Example of Finding
Cherectors</h4>
<hr>
<?php
$myString="I Like PHP very much";
echo "'L' is at Position No. ." .strpos($myString,'L');
echo "<br>'Q' is at Position No.:"
 strpos($myString,'Q');
?>
</body>
</html>
```

**Program : 32**

```
<html>
<head>
<title> How to Compare String </title>
</head>
<body>
<h4 align="center"> Example of Comparing
String </h4>
<hr>
<?php
//Exmpample of Two String is Equal
$string1="name";
$string2="name";
echo "String is Compared so it Returns:"
 .strcmp($string1,$string2);
echo "<br>";
//Exmpample of Two String is NOT Equal
$string1="name";
$string2="surname";
echo "string is NOT Compared so it Returns:"
 .strcmp($string1,$string2);
?>
</body>
</html>
```

**Program : 33**

```
<html>
<head>
<title> How to Find String within the String</title>
<body>
<h4 align="center"> Example of Finding String within
the String </h4>
<hr>
<?php
$mainString="Hello to All, Welcome to PHP World";
$findString="PHP";
echo "My Main string is '$mainString' and i am
looking for '$findString' ."
 .strstr($mainString,$findString);
?>
</body>
</html>
```

**Program : 34**

```
<html>
<head>
<title> How to Get Sub String </title>
</head>
<body>
<h4 align="center"> Example of Sub String </h4>
<hr>
<?php
$mainString="Hello to All, Welcome to PHP
World";
echo "<br> Substring is : " .substr($mainString,14);
echo "<br>Substring is : "
.substr($mainString,14,7);
echo "<br>Substring From End is :
".substr($mainString,-9);
?></body></html>
```

**Program : 35**

```
<html>
<head>
<title> How to Replace String </title>
<body>
<h4 align="center"> Exam-le of Replaceing String
</h4>
<hr>
<?php
$mainString="This is a dog the dog is black";
echo "dog is replaced by cow : "
.substr_replace('dog','cow',$mainString);
?>
</body>
</html>
```

**Program : 36**

```
<html><head>
<title> How to Replace String </title>
<body>
<h4 align="center"> Exam-le of Replaceing String
</h4>
<hr>
<?php
$mainString="This is a dog the dog is black";
echo "dog is replaced by cow : "
.substr_replace('dog','cow',$mainString);
?></body></html>
```

**Program : 38**

```
<html>
<head>
<title> Use of Assignment Operator</title>
</head>
<body>
<h4 align="center"> Example of Assignment
Operator </h4>
<hr/>
<?php
$number1=10;
$number2=2;
$number3=$number1*$number2;
echo "<br> Value of Number3 is : $number3";
$number1 *=5;
echo "<br>Value of Ntmber1 is : $number1";
?></body></html>
```

**Program : 37**

```
<html>
<head><title> Use Of Arithmetic Operator </title>
</head>
<h4 align="center"> Example of Basic Arithmetic
Operator</h4>
<hr/>
<?php
$number1=10;
$number2=2;
$numSum=$number1+$number2;
$numSub=$number1-$number2;
$numMul=$number1*$number2;
$numDiv=$number1/$number2;
$numMod=$number1%$number2;
echo "<br>Addition of $number1 and $number2 is :
<b> $numSum</b>";
echo "<br>Substraction of $number1 and $number2
is : <b> $numSub</b>";
echo "<br>Multiplication of $number1 and $number2
is : <b> $numMul</b>";
echo "<br>Division of $number1 and $number2 is :
<b> $numDiv</b>";
echo "<br>Modulo of $number1 and $number2 is :
<b> $numMod</b>";
?>
</body></html>
```

**Program : 39**

```

<html>
<head>
<title> Use of Comperision Operator </title>
</head>
<body>
<h4 align="center"> Example of Comperision
Operator</h4>
</hr>
<?php
$number1=10;
$number2=20;
if($number1<$number2)
{
echo "<br>TRUE";
}
else
{
echo "<br> FALSE";
}
if($number1>$number2)
{
echo "<br> TRUE";
}
else
{
echo "<br> FALSE";
}
if($number1<=$number2)
{
echo "<br>TRUE";
}
else
{
echo "<br> FALSE";
}
if($number1>=$number2)
{
echo "<br>TRUE";
}
}

```

```

else
{
echo "<br>FALSE";
}
if($number1 != $number2)
{
echo "<br> TRUE";
}
else
{
echo "<br>FALSE";
}
if($number1 == $number2)
{
echo "<br>TRUE";
}
else
{
echo "<br>FALSE";
}
$myString1="123";
$myNumber=123;
if($myString1 === $myNumber)
{
echo "<br>TRUE";
}
else
{
echo "<br>FALSE";
}
?>
</body>
</html>

```

**Program : 40**

```

<html>
<head>
<title>Demo of Basic Mathematical
Function</title>
</head>
<body>
<h4 align="center"> Example of Basic
Mathematical Function </h4>
<hr/>
<?php
$number1=10;
$number2=2;
$abs=abs(10.4);
echo "<strong> DEMO of abs() Function
</strong>";
echo "<tt>";
echo "<br>Demo of abs() Function : " .abs(10.4);
echo "<br>Demo of abs() Function : " .abs(10.5);
echo "<br>Demo of abs() Function : " .abs(-10.5);
echo "<br>Demo of abs() Function : " .abs(10);
echo "<br>";
echo "</tt>";
echo "<br/> <strong> DEMO of min() Function
</strong>";
echo "<tt>";
echo "<br>Demo of min() Function : "
.min(1,2,3,4);
echo "<br>Demo of min() Function : "
.min(1,"PHP");
echo "<br>";
echo "</tt>";

echo "<br/> <strong> DEMO of ceil() Function
</strong>";
echo "<tt>";
echo "<br>Demo of ceil() Function : " .ceil(3.4);
echo "<br>Demo of ceil() Function : " .ceil(4.8);
echo "<br>";
echo "</tt>";
echo "<br/> <strong> DEMO of floor() Function
</strong>";
echo "<tt>";
echo "<br>Demo of floor() Function : " .floor(3.4);
echo "<br>Demo of floor() Function : " .floor(4.8);
echo "<br>";

```

```

echo "</tt>";
echo "<br/> <strong> DEMO of round() Function
</strong>";
echo "<tt>";
echo "<br>Demo of round() Function : " .round(3.4);
echo "<br>Demo of round() Function : " .round(4.8);
echo "<br>";
echo "</tt>";
?></body></html>

```

**Program : 41**

```

<html>
<head>
<title> Example of Array Declaration </title>
</head>
<body>
<h4 align="center"> Diffrent ways to Declare Arrays
</h4>
<hr>
<h2 align="left" style="font:Courier ew;font-
size:20px"> 1st Method : Direct Assignment </h2>
<?php
$myArray[0]="1st Element";
$myArray[1]="2nd Element";
$myArray[2]="3rd Element";
echo"Value of Araay at Postion No.1 is :
".$myArray[1];
?>
<br>
<h2 align="left" atyle="font:Courier New;font-
size:20px"> 2nd Method : Using array() Counstruct
</h2>
<?php
$myArray=array('aaa','bbb','ccc','ddd');
echo "Vlaue of Araay at Position No.3 is : "
.$myArray[3];
?>
<br>
<h2 align="left" style="font:Courier New;font-
size:20px"> 3rd Method : Using array() Counstruct
</h2>
<?php
$myArray=range(1,4);
echo "Value of Araay at Position No.2 is : "
.$myArray[2];
?></body></html>

```

**Program : 42**

```
<html>
<head>
<title> Example of How to Retriving Value From
Array </title>
</head>
<body>
<h4 align="center"> Retriveing Value From Array
</h4>
<hr>
<?php
$cityArray=array('Ahmedabad','Bombay','Delhi','C
hennai');
echo "Value of Array at Postion No. 0 is :
". $cityArray[0];
echo "<br> Value of Array at Position No.3 is
:". $cityArray[3];
?>
</body>
</html>
```

**Program : 43**

```
<html><body>
<h4 align="center"> Multidimensional Array </h4>
<hr><?php
$cityArray=array('capitalCity'=>
array('gujaratCapital'=>'Gandhinagr',
'panjabCapital'=>'Chadigadh',
'maharastraCapital'=>'Mumbai'),
'specialOfCity'=>
array('Gandhinagar'=>'greenCity',
'Chandigadh'=>'WideSpace',
'Mumbai'=>'24 X 7 Working'));
$myCapitalCity='capitalCity';
$mySpecialOfCity='gujaratCapital';
$cityName='specialOfCity';
$speciality='Gandhinagar';
echo "Welcome to Gujarat, Capital of Gujarat is "
.$cityArray[$myCapitalCity][$mySpecialOfCity];
echo "<br>";
echo "Speciality of $speciality is that It is "
.$cityArray[$cityName][$speciality]
?></body></html>
```

**Program : 44**

```
<html><head>
<title> Some Array function </title></head>
<body>
<h4 align="center"> Useful Function of Arrays
</h4><hr>
<tt> Example of <b> is_array()</b> Function</tt>
<br><?php
$countryArray=array('India','U.S.','U.K.','Japan','Sril
anka','Germany');
if(is_array($countryArray)==true)
{echo "True";}else
{echo "False";}?><br> <br>
<tt> Example of <b> count() </b> Function </tt>
<br><?php
$countryArray('India','U.S.','U.K.','Japan','Srilanka'
,'Germany');
echo "CountryArray has
".Count($countryArray)."Element";
?><br><br>
<tt> Example of <b> in_array</b> Function</tt>
<br><?php
$countryArray('India','U.S.','U.K.','Japan','Srilanka'
,'Germany');
```

```
if(in_array('India',$countryArray)==true)
{
echo "Value Found inArray";
}else
{
echo "Value Not Found in Array";
}?>
<br><br>
<tt> Example of <b> is_set()</b> Function</tt>
<br>
<?php
$countryArray('India','U.S.','U.K.','Japan','Srilanka','Ge
rmany');
if(isset($countryArray[0])=='India')
{
echo "Value is Set";
}
else
{
echo "Value Not Set";
}
?>
</body>
</html>
```

**Program : 45**

```
<html>
<head>
<title> Example of How to deleting Value From
Array </title>
</head>
<body>
<h4 align="center"> Deleting Value from Array
</h4>
<hr>
<?php
$cityArray=array('Ahmedabad','Bombay','Delhi','C
hennai');
unset($cityArray[1]);
echo "<br>".$cityArray[0];
echo "<br>".$cityArray[1];
echo "<br>".$cityArray[2];
echo "<br>".$cityArray[3];
?>
</body>
</html>
```

**Program : 46**

```
<html>
<head>
<title> Session Example</title>
</head>
<body>
<h3 align="center"> Session Example</h3>
<hr/>
<form action="c45.php" method="post"
enctype="multipart/form-date">
Enter your name:
<input type="text" name="txtName" size="30"/>
<input type="submit" value="submit"
nme="btnSubmit"/>
</form></body></html>
```

**Program : 47**

```
<?php
session_start();
$_SESSION['name'] = $_POST['txtName'];
$myName = $_SESSION['name'];
echo 'Hello, My name is : <b>' . $myName. '<b>';
?>
```

**Program : 48**

```
<?php
session_start();
session_register('pageVisit');
?><html><head>
<title>Session registor Example</title>
</head>
<body>
<h3> Session Registor Example </h3>
<hr/>
<?php
if (!isset($PageVisit))
{echo 'Welcome to PHP World!<br>';
echo $PageVisit;
$PageVisit=1;
}else
{$PageVisit++;
echo $PageVisit;
echo 'Come Soon <br/>';
}$selfURL = $PHP_SELF;
$sessionID = session_id();
if(isset($sessionID) && $sessionID)
{$basicURL = "$selfURL? $sessionID";
}else
```

```
{
$basicURL = $selfURL;
}echo '<br/> <a href='.basicURL.'> Welcome
Anytime</a>';
?></body></html>
```

**Program : 49**

```
<?php
if(isset ($_POST['btnClick']))
{
header ('Location: http://www.yahoo.com');
exit;
}
?>
</html>
<head>
<title> Header Throw</title>
</head>
<body>
<h3 align="center"> Header Thorw Example </h3>
<hr/>
<form action=" " method="post">
<input type="submit" name="btClick" value="Gotot
Yahoo"/>
</form></body></html>
```

**Program : 50**

```
<html>
<head>
<title> Demo of Database Selection </title>
</head>
<body>
<h3 align="center"> Selection of Database</h3>
<hr>
<?php
$user="root";
$db="Sample";
$host="localhost";
$pass="";

$link=mysql_connect($host,$user,$pass);
if(!$link)
{
die('Could not connect: ' .mysql_error() );
}
else
{
echo "<b> Database connection succeeded </b>";
mysql_select_db($db,$link);
}
?>
</body>
</html>
```

**Program : 51**

```
<html>
<head>
<title> Demo of Get No.of Rows</title>
</head>
<body>
<h3 align="center"> Get No. of Rows Using
mysql_num_rows() </h3>
<hr>
<?php
$user="root";
$db="Sample";
$host="localhost";
$pass=" ";
$link=mysql_connect($host,$user,$pass);
mysql_select_db($db,$link);
if($_REQUEST['btnGetRows'])
{
$sql="SELECT name,age FROM personeail";
$result=mysql_query($sql,$link);
$row=mysql_num_rows($result);
echo "Total No. of Record in the table is : <tt> $row
</tt>";
mysql_close($link);
}
?>
<form action="c40.php" method="post">
<table align="center">
<tr>
<td>
<input type="submit" name="btnGetRows"
value="Get No. of Rows">
</td>
</tr>
</table></body></html>
```

# gitecheducation.webtech365.in



## **Gayatri Computer Classes**

**2<sup>nd</sup> Floor, Shree Ram Complex, Near Anand Medical Store, Above Jaydeep Studio,  
Devibhuvan Road, Dwarka - 361335 M. 9898832395, 9408965707 Page : 16**



**GITECH**  
COMPUTER EDUCATION  
(Reg. Under Govt. of India)

**SOFTWARE • HARDWARE  
NETWORK MANAGEMENT**

**C.C.S.H.N.M.**  
2-Year Course

**ADMISSION OPEN 2026**

► 10 / 12 Pass or Graduate • Age: 16 - 40 Years

- ✓ Basic Computer Knowledge
- ✓ Office & Account Management
- ✓ Software & Web Developing
- ✓ Hardware & Networking Training

**APPLY NOW >>**

gitecheducation.webtech365.in      09898832395 | 08320907592

**GITECH EDUCATION /  
GAYATRI COMPUTER CLASSES**  
"A Division of Gitech Education Pvt. Ltd."

**2nd Floor, Shree Ram Complex,  
Above Jaideep Studio,  
Near Anand Medical Store,  
Devi Bhavan Road, Dwarka (Gujarat)**



**98988 32395**



**94089 65707**



**gccdwaraka.webtech365.in**

**Gayatri Computer Classes**

**2<sup>nd</sup> Floor, Shree Ram Complex, Near Anand Medical Store, Above Jaydeep Studio,  
Devibhuvan Road, Dwarka - 361335 M. 9898832395, 9408965707      Page : 17**